ELSEVIER

European Journal of Pharmacology 314 (1996) 397–400

ejp

# Author index

Allescher, H.-D., see Kurjak, M. (314) 165
Altura, B.M., Zhang, A., Cheng, T.P.-O. and Altura, B.T.
Exposure of piglet coronary arterial muscle cells to low alcohol results in elevation of intracellular free $Ca^{2+}$: relevance to fetal alcohol syndrome (314) R9
Altura, B.T., see Altura, B.M. (314) R9

Barthelmebs, M., Krieger, J.-P., Grima, M., Nisato, D. and Imbs, J.-L.
Vascular effects of [$Arg^8$]vasopressin in the isolated perfused rat kidney (314) 325
Beart, P.M., see Larm, J.A. (314) 249
Beaumont, K., see Vine, W. (314) 115
Bence, J.Zs., see Erdõ, S.L. (314) 69
Berge, R.K., see Brunvand, H. (314) 99
Berti, F., see De Gennaro Colonna, V. (314) 333
Bienkowski, P., Stefanski, R. and Kostowski, W.
Competitive NMDA receptor antagonist, CGP 40116, substitutes for the discriminative stimulus effects of ethanol (314) 277
Blanchard, J.-C., see Heuillet, E. (314) 229
Blomqvist, O., Ericson, M., Johnson, D.H., Engel, J.A. and Söderpalm, B.
Voluntary ethanol intake in the rat: effects of nicotinic acetylcholine receptor blockade or subchronic nicotine treatment (314) 257
Bonacci, D., see De Gennaro Colonna, V. (314) 333
Botero Cid, H.M., see Kostenis, E. (314) 385
Bourely, B., see Hernvann, A. (314) 193
Brasseur, R., see Montenez, J.-P. (314) 215
Broquère, N., see Monteau, R. (314) 41
Brunvand, H., Frøyland, L., Hexeberg, E., Rynning, S.E., Berge, R.K. and Grong, K.
Carvedilol improves function and reduces infarct size in the feline myocardium by protecting against lethal reperfusion injury (314) 99
Buchholz, J.N., see García-Villalón, A.L. (314) 339
Budhoo, M.R., Harris, R.P. and Kellum, J.M.
The role of the 5-$HT_4$ receptor in $Cl^-$ secretion in human jejunal mucosa (314) 109
Bunney Jr., W.E., see Helmeste, D.M. (314) R3
Burton, M.J., see Watson, J.M. (314) 365

Caine, S.B., see Wan, F.-J. (314) 9
Cameron, N.E., see Love, A. (314) 33
Cándido, A., see Torres, C. (314) 269
Carvalho, M.F., see DeFarias, F.P. (314) 123
Cattaneo, L., see De Gennaro Colonna, V. (314) 333
Chairungsrilerd, N., Furukawa, K.-I., Ohta, T., Nozoe, S. and Ohizumi, Y.
Pharmacological properties of α-mangostin, a novel histamine $H_1$ receptor antagonist (314) 351
Chan, W., see Herdon, H. (314) R7
Cheng, T.P.-O., see Altura, B.M. (314) R9
Cheung, N.S., see Larm, J.A. (314) 249
Cho, S., Duchemin, A.-M., Neff, N.H. and Hadjiconstantinou, M.
Modulation of tyrosine hydroxylase and aromatic L-amino acid decarboxylase after inhibiting monoamine oxidase-A (314) 51
Chowdhury, S.A., Kawashima, T., Konishi, T., Niwa, M. and Matsunami, K.
Study of paired-pulse inhibition of transcallosal response in the pyramidal tract neuron in vivo (314) 313
Christian Aussel, , see Hernvann, A. (314) 193
Ciceri, S., see De Gennaro Colonna, V. (314) 333
Cotter, M.A., see Love, A. (314) 33
Courtoy, P.J., see Van Bambeke, F. (314) 203

Dallel, R., Luccarini, P., Molat, J.-L. and Woda, A.
Effects of systemic morphine on the activity of convergent neurons of spinal trigeminal nucleus oralis in the rat (314) 19
Danysz, W., see Hölter, S.M. (314) R1
DeFarias, F.P., Carvalho, M.F., Lee, S.H., Kaczorowski, G.J. and Suarez-Kurtz, G.
Effects of the $K^+$ channel blockers, paspalitrem-C and paxilline, on mammalian smooth muscle (314) 123
De Gennaro Colonna, V., Rossoni, G., Bonacci, D., Ciceri, S., Cattaneo, L., Müller, E.E. and Berti, F.
Worsening of ischemic damage in hearts from rats with selective growth hormone deficiency (314) 333
De la Lande, I.S., Philp, T., Stafford, I. and Horowitz, J.D.
Lack of inhibition of glyceryl trinitrate by diphenyleneiodonium in bovine coronary artery (314) 347
Doble, A., see Heuillet, E. (314) 229
Duchemin, A.-M., see Cho, S. (314) 51
Duckles, S.P., see García-Villalón, A.L. (314) 339

Ekindjian, O.G., see Hernvann, A. (314) 193
Engel, J.A., see Blomqvist, O. (314) 257
Erdõ, S.L., Molnár, P., Lakics, V., Bence, J.Zs. and Tömösközi, Z.
Vincamine and vincanol are potent blockers of voltage-gated $Na^+$ channels (314) 69
Ericson, M., see Blomqvist, O. (314) 257

Frøyland, L., see Brunvand, H. (314) 99
Furukawa, K.-I., see Chairungsrilerd, N. (314) 351

Galas, M.-C. and Harden, T.K.
Cyclic AMP-induced desensitization of G-protein-regulated phospholipase C in turkey erythrocyte membranes (314) 157
García-Villalón, A.L., Buchholz, J.N., Krause, D.N. and Duckles, S.P.
Sex differences in the effects of 17β-estradiol on vascular adrenergic responses (314) 339
Garratt, J.C., McEvoy, M.P. and Owen, D.G.
Blockade of two voltage-dependent potassium channels, mKv1.1 and mKv1.2, by docosahexaenoic acid (314) 393
Gedulin, B., see Vine, W. (314) 115
Goto, Y., Miura, M. and Iijima, T.
Extrusion mechanisms of intracellular $Ca^{2+}$ in human aortic endothelial cells (314) 185
Grima, M., see Barthelmebs, M. (314) 325
Grong, K., see Brunvand, H. (314) 99

Hadjiconstantinou, M., see Cho, S. (314) 51
Hajós-Korcsok, É. and Sharp, T.
8-OH-DPAT-induced release of hippocampal noradrenaline in vivo: evidence for a role of both 5-$HT_{1A}$ and dopamine $D_1$ receptors (314)

285
Harden, T.K., see Galas, M.-C. (314) 157
Harris, R.P., see Budhoo, M.R. (314) 109
Hashimoto, T., see Ito, K. (314) 143
Helmeste, D.M., Tang, S.W., Bunney Jr., W.E., Potkin, S.G. and Jones, E.G.
Decrease in $\sigma$ but no increase in striatal dopamine $D_4$ sites in schizophrenic brains (314) R3
Herdon, H., Jerman, J., Stean, T., Chan, W., Middlemiss, D. and Upton, N.
The novel anticonvulsant SB 204269 binds to a stereospecific site in the mouse brain (314) R7
Hernvann, A., Bourely, B., Le Maire, V., Christian Aussel, , Menkes, C.-J. and Ekindjian, O.G.
Action of anti-inflammatory drugs on interleukin-1$\beta$-mediated glucose uptake by synoviocytes (314) 193
Heuillet, E., Petitet, F., Mignani, S., Malleron, J.-L., Lavayre, J., Néliat, G., Doble, A. and Blanchard, J.-C.
The naphtosultam derivative RP 62203 (fananserin) has high affinity for the dopamine $D_4$ receptor (314) 229
Hexeberg, E., see Brunvand, H. (314) 99
Hietala, J., see Wong, G. (314) 319
Hilaire, G., see Monteau, R. (314) 41
Hill, R., see Sällström Baum, S. (314) 75
Hliňák, Z., Vinšová, J. and Kasafírek, E.
Effect of alaptide, its analogues and oxiracetam on memory for an elevated plus-maze in mice (314) 1
Ho, I.K., see Hoshi, K. (314) 301
Hölter, S.M., Danysz, W. and Spanagel, R.
Evidence for alcohol anti-craving properties of memantine (314) R1
Holzgrabe, U., see Kostenis, E. (314) 385
Horowitz, J.D., see De la Lande, I.S. (314) 347
Hoshi, K., Ma, T. and Ho, I.K.
Precipitated $\kappa$-opioid receptor agonist withdrawal increases glutamate in rat locus coeruleus (314) 301
Howse, K.M., see Roerig, S.C. (314) 293

Iijima, T., see Goto, Y. (314) 185
Ikeda, M., see Ikeda, U. (314) 197
Ikeda, U., Ikeda, M., Kano, S., Kanbe, T. and Kazuyuki Shimada,
Effect of cilostazol, a cAMP phosphodiesterase inhibitor, on nitric oxide production by vascular smooth muscle cells (314) 197
Imbs, J.-L., see Barthelmebs, M. (314) 325
Inagaki, C., see Tanabe, T. (314) 175
Inoue, K., see Ito, K. (314) 143
Inoue, M., see Tan-No, K. (314) 61
Ise, Y., see Suzuki, T. (314) 281
Ito, K., Nakazawa, K., Koizumi, S., Liu, M., Takeuchi, K., Hashimoto, T., Ohno, Y. and Inoue, K.
Inhibition by antipsychotic drugs of L-type $Ca^{2+}$ channel current in PC12 cells (314) 143

Jerman, J., see Herdon, H. (314) R7
Johnson, D.H., see Blomqvist, O. (314) 257
Jones, B.J., see Watson, J.M. (314) 365
Jones, E.G., see Helmeste, D.M. (314) R3

Kaczorowski, G.J., see DeFarias, F.P. (314) 123
Kanbe, T., see Ikeda, U. (314) 197
Kano, S., see Ikeda, U. (314) 197
Karaki, H., see Trongvanichnam, K. (314) 83
Kasafírek, E., see Hliňák, Z. (314) 1
Kawamura, Y., see Sato, N. (314) 373
Kawashima, T., see Chowdhury, S.A. (314) 313
Kazuyuki Shimada, , see Ikeda, U. (314) 197
Kellum, J.M., see Budhoo, M.R. (314) 109
Kikuchi, K., see Sato, N. (314) 373
Kim, K.-T., see Suh, B.-C. (314) 235
Kisara, K., see Tan-No, K. (314) 61
Koizumi, S., see Ito, K. (314) 143
Konishi, T., see Chowdhury, S.A. (314) 313
Korpi, E.R., see Wong, G. (314) 319
Kostenis, E., Botero Cid, H.M., Holzgrabe, U. and Mohr, K.
Evidence for a multiple binding mode of bispyridinium-type allosteric modulators of muscarinic receptors (314) 385
Kostowski, W., see Bienkowski, P. (314) 277
Krause, D.N., see García-Villalón, A.L. (314) 339
Krieger, J.-P., see Barthelmebs, M. (314) 325
Kuoppamäki, M., see Wong, G. (314) 319
Kurjak, M., Schusdziarra, V. and Allescher, H.-D.
Presynaptic modulation by VIP, secretin and isoproterenol of somatostatin release from enriched enteric synaptosomes: role of cAMP (314) 165

Lakics, V., see Erdõ, S.L. (314) 69
Larm, J.A., Cheung, N.S. and Beart, P.M.
(*S*)-5-Fluorowillardiine-mediated neurotoxicity in cultured murine cortical neurones occurs via AMPA and kainate receptors (314) 249
Lavayre, J., see Heuillet, E. (314) 229
Lee, S.H., see DeFarias, F.P. (314) 123
Le Maire, V., see Hernvann, A. (314) 193
Liu, M., see Ito, K. (314) 143
Love, A., Cotter, M.A. and Cameron, N.E.
Nerve function and regeneration in diabetic and galactosaemic rats: antioxidant and metal chelator effects (314) 33
Luccarini, P., see Dallel, R. (314) 19
Lüddens, H., see Wong, G. (314) 319

Ma, T., see Hoshi, K. (314) 301
Maeda, J., see Suzuki, T. (314) 281
Maitra, R., see Reynolds, J.N. (314) 151
Maldonado, A., see Torres, C. (314) 269
Malleron, J.-L., see Heuillet, E. (314) 229
Matsunami, K., see Chowdhury, S.A. (314) 313
McAllister, K.H.
The competitive NMDA receptor antagonist SDZ 220-581 reverses haloperidol-induced catalepsy in rats (314) 307
McEvoy, M.P., see Garratt, J.C. (314) 393
Menkes, C.-J., see Hernvann, A. (314) 193
Middlemiss, D., see Herdon, H. (314) R7
Middlemiss, D.N., see Watson, J.M. (314) 365
Mignani, S., see Heuillet, E. (314) 229
Mingeot-Leclercq, M.-P., see Montenez, J.-P. (314) 215
Mingeot-Leclercq, M.-P., see Van Bambeke, F. (314) 203
Misawa, M., see Suzuki, T. (314) 281
Mishima, K., see Tanabe, T. (314) 175
Mitsui-Saito, M., see Trongvanichnam, K. (314) 83
Miura, M., see Goto, Y. (314) 185
Mohr, K., see Kostenis, E. (314) 385
Molat, J.-L., see Dallel, R. (314) 19
Molnár, P., see Erdõ, S.L. (314) 69
Monteau, R., Ptak, K., Broquère, N. and Hilaire, G.
Tachykinins and central respiratory activity: an in vitro study on the newborn rat (314) 41
Montenez, J.-P., Van Bambeke, F., Piret, J., Schanck, A., Brasseur, R., Tulkens, P.M. and Mingeot-Leclercq, M.-P.
Interaction of the macrolide azithromycin with phospholipids. II. Biophysical and computer-aided conformational studies (314) 215
Montenez, J.-P., see Van Bambeke, F. (314) 203
Moore, C.X., see Vine, W. (314) 115
Morales, A., see Torres, C. (314) 269
Moreno, J.J.
Antiflammin-2, a nonapeptide of lipocortin-1, inhibits leukocyte chemotaxis but not arachidonic acid mobilization (314) 129

Moro, M., see Pérez-Vizcaíno, F. (314) 91
Muceniece, R., see Schiöth, H.B. (314) 381
Müller, E.E., see De Gennaro Colonna, V. (314) 333
Murayama, T., see Yakushi, Y. (314) 243

Nakahara, K., see Yamamoto, N. (314) 137
Nakazawa, K., see Ito, K. (314) 143
Neff, N.H., see Cho, S. (314) 51
Néliat, G., see Heuillet, E. (314) 229
Nisato, D., see Barthelmebs, M. (314) 325
Nishimura, M., see Sato, N. (314) 373
Niwa, M., see Chowdhury, S.A. (314) 313
Nomura, Y., see Yakushi, Y. (314) 243
Nozoe, S., see Chairungsrilerd, N. (314) 351
Nylander, I., see Tan-No, K. (314) 61

Ogawa, R., see Tanabe, T. (314) 175
O'Grady, S.M., see Sprunger, L.K. (314) 357
Ohizumi, Y., see Chairungsrilerd, N. (314) 351
Ohno, Y., see Ito, K. (314) 143
Ohta, T., see Chairungsrilerd, N. (314) 351
Okuhara, M., see Yamamoto, N. (314) 137
Otani, H., see Tanabe, T. (314) 175
Owen, D.G., see Garratt, J.C. (314) 393
Ozaki, H., see Trongvanichnam, K. (314) 83

Park, T.-J., see Suh, B.-C. (314) 235
Pérez-Vizcaíno, F., Villamor, E., Moro, M. and Tamargo, J.
Pulmonary versus systemic effects of vasodilator drugs: an in vitro study in isolated intrapulmonary and mesenteric arteries of neonatal piglets (314) 91
Petitet, F., see Heuillet, E. (314) 229
Philp, T., see De la Lande, I.S. (314) 347
Piret, J., see Montenez, J.-P. (314) 215
Piret, J., see Van Bambeke, F. (314) 203
Pittner, R., see Vine, W. (314) 115
Potkin, S.G., see Helmeste, D.M. (314) R3
Price, G.W., see Watson, J.M. (314) 365
Ptak, K., see Monteau, R. (314) 41

Reynolds, J.N. and Maitra, R.
Propofol and flurazepam act synergistically to potentiate $GABA_A$ receptor activation in human recombinant receptors (314) 151
Rink, T.J., see Vine, W. (314) 115
Roerig, S.C. and Howse, K.M.
ω-Agatoxin IVA blocks spinal morphine/clonidine antinociceptive synergism (314) 293
Rommelspacher, H., see Sällström Baum, S. (314) 75
Rossoni, G., see De Gennaro Colonna, V. (314) 333
Rynning, S.E., see Brunvand, H. (314) 99

Sakai, F., see Yamamoto, N. (314) 137
Sakurada, C., see Tan-No, K. (314) 61
Sakurada, T., see Tan-No, K. (314) 61
Sällström Baum, S., Hill, R. and Rommelspacher, H.
Harman-induced changes of extracellular concentrations of neurotransmitters in the nucleus accumbens of rats (314) 75
Sato, N., Nishimura, M., Kawamura, Y., Ward, C.A. and Kikuchi, K.
Block of $Na^+$ channel by bepridil in isolated guinea-pig ventricular myocytes (314) 373
Sato, T., see Tan-No, K. (314) 61
Schanck, A., see Montenez, J.-P. (314) 215
Schiöth, H.B., Muceniece, R., Wikberg, J.E.S. and Szardenings, M.
Alternative translation initiation codon for the human melanocortin $MC_3$ receptor does not affect the ligand binding (314) 381
Schusdziarra, V., see Kurjak, M. (314) 165
Sharp, T., see Hajós-Korcsok, É. (314) 285
Shinobu Sakurada, , see Tan-No, K. (314) 61
Silberring, J., see Tan-No, K. (314) 61
Söderpalm, B., see Blomqvist, O. (314) 257
Spanagel, R., see Hölter, S.M. (314) R1
Sprunger, L.K., Stewig, N.J. and O'Grady, S.M.
Effects of charybdotoxin on $K^+$ channel (Kv1.2) deactivation and inactivation kinetics (314) 357
Stafford, I., see De la Lande, I.S. (314) 347
Stean, T., see Herdon, H. (314) R7
Stefanski, R., see Bienkowski, P. (314) 277
Stewig, N.J., see Sprunger, L.K. (314) 357
Suarez-Kurtz, G., see DeFarias, F.P. (314) 123
Suh, B.-C., Park, T.-J. and Kim, K.-T.
Synergistic activation of adenylyl cyclase is dependent upon phospholipase C-mediated processes in human neuroblastoma SK-N-BE(2)C cells (314) 235
Suzuki, T., Ise, Y., Tsuda, M., Maeda, J. and Misawa, M.
Mecamylamine-precipitated nicotine-withdrawal aversion in rats (314) 281
Swerdlow, N.R., see Wan, F.-J. (314) 9
Syvälahti, E., see Wong, G. (314) 319
Szardenings, M., see Schiöth, H.B. (314) 381

Tadano, T., see Tan-No, K. (314) 61
Taira, A., see Tan-No, K. (314) 61
Takeuchi, K., see Ito, K. (314) 143
Tamargo, J., see Pérez-Vizcaíno, F. (314) 91
Tan-No, K., Taira, A., Sakurada, T., Inoue, M., Shinobu Sakurada, , Tadano, T., Sato, T., Sakurada, C., Nylander, I., Silberring, J., Terenius, L. and Kisara, K.
Inhibition of dynorphin-converting enzymes prolongs the antinociceptive effect of intrathecally administered dynorphin in the mouse formalin test (314) 61
Tanabe, T., Otani, H., Zeng, X.-T., Mishima, K., Ogawa, R. and Inagaki, C.
Inhibitory effects of calcitonin gene-related peptide on substance-P-induced superoxide production in human neutrophils (314) 175
Tang, S.W., see Helmeste, D.M. (314) R3
Terenius, L., see Tan-No, K. (314) 61
Tömösközi, Z., see Erdõ, S.L. (314) 69
Torres, C., Morales, A., Cándido, A. and Maldonado, A.
Successive negative contrast in one-way avoidance: effect of thiopental sodium and chlorpromazine (314) 269
Trongvanichnam, K., Mitsui-Saito, M., Ozaki, H. and Karaki, H.
Effects of chronic oral administration of a high dose of nicorandil on in vitro contractility of rat arterial smooth muscle (314) 83
Tsuda, M., see Suzuki, T. (314) 281
Tulkens, P.M., see Montenez, J.-P. (314) 215
Tulkens, P.M., see Van Bambeke, F. (314) 203

Upton, N., see Herdon, H. (314) R7

Van Bambeke, F., Montenez, J.-P., Piret, J., Tulkens, P.M., Courtoy, P.J. and Mingeot-Leclercq, M.-P.
Interaction of the macrolide azithromycin with phospholipids. I. Inhibition of lysosomal phospholipase $A_1$ activity (314) 203
Van Bambeke, F., see Montenez, J.-P. (314) 215
Villamor, E., see Pérez-Vizcaíno, F. (314) 91
Vine, W., Beaumont, K., Gedulin, B., Pittner, R., Moore, C.X., Rink, T.J. and Young, A.A.
Comparison of the in vitro and in vivo pharmacology of adrenomedullin, calcitonin gene-related peptide and amylin in rats (314) 115
Vinšová, J., see Hliňák, Z. (314) 1

Wan, F.-J., Caine, S.B. and Swerdlow, N.R.
The ventral subiculum modulation of prepulse inhibition is not mediated via dopamine $D_2$ or nucleus accumbens non-NMDA glutamate receptor activity (314) 9

Ward, C.A., see Sato, N. (314) 373
Watanabe, A., see Yakushi, Y. (314) 243
Watson, J.M., Burton, M.J., Price, G.W., Jones, B.J. and Middlemiss, D.N.
GR127935 acts as a partial agonist at recombinant human 5-$HT_{1D\alpha}$ and 5-$HT_{1D\beta}$ receptors (314) 365
Wikberg, J.E.S., see Schiöth, H.B. (314) 381
Woda, A., see Dallel, R. (314) 19
Wong, G., Kuoppamäki, M., Hietala, J., Lüddens, H., Syvälahti, E. and Korpi, E.R.
Effects of clozapine metabolites and chronic clozapine treatment on rat brain $GABA_A$ receptors (314) 319

Yakushi, Y., Watanabe, A., Murayama, T. and Nomura, Y.
$P_2$ purinoceptor-mediated stimulation of adenylyl cyclase in PC12 cells (314) 243
Yamamoto, N., Sakai, F., Yamazaki, H., Nakahara, K. and Okuhara, M.
Effect of FR167653, a cytokine suppressive agent, on endotoxin-induced disseminated intravascular coagulation (314) 137
Yamazaki, H., see Yamamoto, N. (314) 137
Young, A.A., see Vine, W. (314) 115
Yuan, C.-S.
Gastric effects of μ-, δ- and κ-opioid receptor agonists on brainstem unitary responses in the neonatal rat (314) 27

Zeng, X.-T., see Tanabe, T. (314) 175
Zhang, A., see Altura, B.M. (314) R9